

June 24, 2005  
Case No. GP-302051 (2760/49)  
Serial No.: 10/079,865  
Filed: February 21, 2002  
Page 2 of 7

**- CLAIM LISTING -**

Claims 1-21 are currently pending in the application. A complete listing of the claims currently pending reads as follows:

1. (Currently Amended) A method for delivering a communication for a customer from a server to a client vehicle communication unit (VCU) installed in a vehicle of the customer, the method comprising:

establishing a connection between the server and the client VCU; and  
acquiring, at the server, an ignition status from the client VCU as an indication of whether the customer is available in the vehicle for receiving the communication.

2. (Original) The method of claim 1 wherein the communication is one of the group consisting of a voicemail message, a facsimile (FAX), an E-mail message, and a transfer of data.

3. (Original) The method of claim 2 wherein delivering the communication further comprises annunciating the type of communication available for delivery.

4. (Original) The method of claim 1 further comprising delivering the communication to the client VCU upon acquiring an IGNITION ON status.

5. (Original) The method of claim 4 wherein delivering the communication further comprises:

the client VCU annunciating delivery of the communication prior to actual delivery of the communication; and

delaying actual delivery of the communication until the customer initiates delivery of the communication at the client VCU.

June 24, 2005  
Case No. GP-302051 (2760/49)  
Serial No.: 10/079,865  
Filed: February 21, 2002  
Page 3 of 7

6. (Original) The method of claim 5 wherein announcing the communication includes broadcasting an audible message to the customer inside the vehicle.
7. (Original) The method of claim 5 wherein the customer initiates delivery with a verbal command.
8. (Original) The method of claim 1 further comprising delaying delivery of the communication to the client VCU upon acquiring an IGNITION OFF status.
9. (Original) The method of claim 8 further comprising storing the communication at the server upon acquiring an IGNITION OFF status.
10. (Original) The method of claim 9 further comprising periodically attempting to establish a connection for updating the ignition status with the client VCU when an undelivered communication is stored at the server.
11. (Original) The method of claim 9 further comprising storing an indication at the client VCU of a communication awaiting delivery from the server.
12. (Original) The method of claim 11 further comprising announcing in the vehicle the indication of a communication awaiting delivery at the server, upon the client VCU acquiring an IGNITION ON status.
13. (Original) The method of claim 1 further comprising storing the communication at the client VCU upon acquiring an IGNITION OFF status.

June 24, 2005  
Case No. GP-302051 (2760/49)  
Serial No.: 10/079,865  
Filed: February 21, 2002  
Page 4 of 7

14. (Original) The method of claim 13 further comprising also storing the communication at the server.

15. (Original) The method of claim 13 further comprising delivering the communication to the customer upon the client VCU acquiring an IGNITION ON status.

16. (Currently Amended) An apparatus for delivering a communication for a customer from a server to a client vehicle communication unit (VCU) installed in a vehicle of the customer, the apparatus comprising:

means for establishing a connection between the server and the client VCU; and

means for acquiring, at the server, an ignition status from the client VCU as an indication of whether the customer is available in the vehicle for receiving the communication.

17. (Original) The apparatus of claim 16 further comprising means for delivering the communication to the customer upon acquiring an IGNITION ON status.

18. (Original) The apparatus of claim 16 further comprising means for storing the communication until an IGNITION ON status is acquired.

June 24, 2005  
Case No. GP-302051 (2760/49)  
Serial No.: 10/079,865  
Filed: February 21, 2002  
Page 5 of 7

19. (Currently Amended) A computer readable medium storing a computer program for delivering a communication for a customer from a server to a client vehicle communication unit (VCU) installed in a vehicle of the customer, the computer program comprising:

computer readable code for establishing a connection between the server and the client VCU; and

computer readable code for acquiring at the server, an ignition status from the client VCU as an indication of whether the customer is available in the vehicle for receiving the communication.

20. (Original) The computer readable medium of claim 19, wherein the computer program further comprises computer readable code for delivering the communication to the customer upon acquiring an IGNITION ON status.

21. (Original) The computer readable medium of claim 19, wherein the computer program further comprises computer readable code for storing the communication until an IGNITION ON status is acquired.